Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) A method of reducing wastes produced from an industrial process, comprising:

communicating with a communications network and acquiring process information concerning the industrial process;

predicting a process parameter associated with a predicted waste output according to a predetermined model and based on the process information; and

communicating the process parameter over the communications network.

- 2. (amended) The method A method of reducing wastes according to claim 1, wherein the step of communicating with a communications network comprises communicating with a globally distributed computing network.
- 3. (amended) The method A method of reducing wastes according to claim 1, wherein the step of communicating with a communications network comprises communicating with at least one of a local area network, a wide area network, and a globally distributed computing network.
- 4. (amended) The method A method of reducing wastes according to claim 1, wherein the step of acquiring process information comprises acquiring at least one of i) concentration of a chemical species used by the industrial process, ii) concentration of a pollutant produced by the industrial process, iii) concentration of an effluent discharged from the industrial process, iv) flow rate of the chemical species used by the industrial process, v) flow rate of the pollutant produced by the industrial process, and vi) flow rate of the effluent discharged from the industrial process.

Serial No.: 09/682,995 Arndt. Dated January 5, 2004. Reply to Office Action of October 10, 2003.

- 5. (amended) The method A method of reducing wastes according to claim 1, wherein the step of acquiring process information concerning the industrial process comprises acquiring information concerning at least one of an effluent stream of air, an effluent stream of water, and an effluent stream of a solid.
- 6. (amended) The method A method of reducing wastes according to claim 1, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) inorganic materials used by the industrial process and ii) inorganic materials discharged from the industrial process.
- 7. (amended) The method A method of reducing wastes according to claim 1, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) a species of acid used by the industrial process and ii) a species of acid discharged from the industrial process.
- 8. (amended) The method A method of reducing wastes-according to claim 7, further comprising acquiring information concerning a chemical compound that ionizes in water to provide a hydrogen ion H⁺.
- 9. (amended) The method A method of reducing wastes-according to claim 7, further comprising acquiring information concerning at least one of hydrochloric acid (HCl), nitric acid (HNO₃), perchloric acid (HClO₄), sulfuric acid (H₂SO₄), phosphoric acid (H₃PO₄), acetic acid (HC₂H₃O₂), hydrogen fluoride (HF), and carbonic acid (H₂CO₃).
- 10. (amended) The method-A method of reducing wastes according to claim 1, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) a heavy metal species used by the industrial process and ii) a heavy metal species discharged from the industrial process.
- 11. (amended) The method A method of reducing wastes according to claim 10, further comprising acquiring information concerning at least one of lead (Pb), mercury (Hg), chromium (Cr), copper (Cu), and cadmium (Cd).

- 12. (amended) The method A method of reducing wastes according to claim 1, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) an organic species used by the industrial process and ii) an organic species discharged from the industrial process.
- 13. (amended) The method A method of reducing wastes according to claim 12, further comprising acquiring information concerning at least one of an alkane, an alcohol, an ether, an alkene, an alkyne, an aromatic compound, an alkyl halide, an ester, a carboxylic acid, a carbonyl compound, an aldehyde, and a ketone, an amine, and an amide.
- 14. (amended) The method A method of reducing wastes according to claim 12, further comprising acquiring information concerning at least one of benzene (C₆H₆), toluene (C₆H₅CH₃), xylene [C₆H₄(CH₃)₂], naphthalene (C₁₀H₈), dichloromethane (CH₂Cl₂), trichloromethane (CHCl₃), styrene, ethylene, phenol, methylene chloride, xylene, and methyl ethyl ketone.
- 15. (amended) The method A method of reducing wastes according to claim 1, further comprising acquiring information concerning air pollutant emissions produced by the industrial process.
- 16. (amended) The method A method of reducing wastes according to claim 1, further comprising acquiring information concerning a volatile organic compound produced by the industrial process.
- 17. (amended) The method A method of reducing wastes-according to claim 1, further comprising acquiring information concerning an ozone depleting compound produced by the industrial process.
- 18. (amended) The method A method of reducing wastes according to claim 1, further comprising forecasting wastes produced by the industrial process, the forecasted wastes based upon the process information.

- 19. (amended) The method A method of reducing wastes according to claim 1, further comprising simulating the industrial process with a computer program that determines the process parameters.
- 20. (amended) The method A method of reducing wastes according to claim 1, further comprising forecasting costs of operating the industrial process at the process parameter.
- 21. (amended) The method A method of reducing wastes according to claim 1, further comprising estimating costs of operating the industrial process at the process parameter.
- 22. (amended) The method A method of reducing wastes-according to claim 1, further comprising communicating information concerning waste emissions over the communications network to a regulatory agency.
- 23. (amended) The method-A method of reducing wastes according to claim 1, further comprising communicating information concerning waste emissions over the communications network to participants in a system for buying and selling emissions allowances.
- 24. (original) A method of reducing wastes produced from an industrial process, comprising:

communicating with a globally distributed computing network and acquiring process information concerning the industrial process, the process information comprising at least one of i) concentration of a chemical species used by the industrial process, ii) concentration of a pollutant produced by the industrial process, iii) concentration of an effluent discharged from the industrial process, iv) flow rate of the chemical species used by the industrial process, v) flow rate of the pollutant produced by the industrial process, and vi) flow rate of the effluent discharged from the industrial process;

predicting a process parameter associated with a predicted waste output according to a predetermined model and based on the process information; and

communicating the process parameter over the globally distributed computing network.

25. (amended) A method of displaying industrial waste information from an industrial process, the method comprising:

acquiring process information concerning the industrial process, the process information acquired from a globally distributed computing network, the process information comprising at least one of i) concentration of a chemical species used by the industrial process, ii) concentration of a pollutant produced by the industrial process, iii) concentration of an effluent discharged from the industrial process, iv) flow rate of the chemical species used by the industrial process, v) flow rate of the pollutant produced by the industrial process, and vi) flow rate of the effluent discharged from the industrial process;

acquiring a process parameter that may reduce waste from the industrial process; and

displaying an image comprising at least one of the process information and the process parameter.

- 26. (amended) The method A method of displaying industrial waste information according to claim 25, further comprising dynamically updating said image.
- 27. (amended) The method A method of displaying industrial waste information according to claim 25, further comprising dynamically updating said image independent of intervention by a user.
- 28. (amended) The method A method of displaying industrial waste information according to claim 25, further comprising requesting a dynamic update of said image.
 - 29. (withdrawn) A waste management system, comprising:

at least one of i) a source producing a pollutant and ii) a source discharging an effluent;

at least one of i) a pollutant monitor for monitoring the pollutant produced by the source and ii) an effluent monitor for monitoring the effluent discharged by the source, the pollutant monitor producing pollutant information and the effluent monitor producing effluent information; and

- a Waste Reduction module acquiring at least one of the pollutant information and the effluent information communicated along a communications network, the Waste Reduction module predicting process parameters that may reduce wastes produced by the industrial process.
- 30. (withdrawn) A waste management system according to claim 29, wherein the communications network comprises at least one of a local area network and a wide area network.
- 31. (withdrawn) A waste management system according to claim 29, wherein at least one of the pollutant monitor and the effluent monitor monitors at least one of i) inorganic materials used by the industrial process and ii) inorganic materials discharged from the industrial process.
- 32. (withdrawn) A waste management system according to claim 29, wherein at least one of the pollutant monitor and the effluent monitor monitors at least one of i) a species of acid used by the industrial process and ii) a species of acid discharged from the industrial process.
- 33. (withdrawn) A waste management system according to claim 32, wherein the species of acid comprises a chemical compound that ionizes in water to provide a hydrogen ion H⁺.
- 34. (withdrawn) A waste management system according to claim 29, wherein at least one of the pollutant monitor and the effluent monitor monitors at least one of hydrochloric acid (HCl), nitric acid (HNO₃), perchloric acid (HClO₄), sulfuric acid

Serial No.: 09/682,995 Amdt. Dated January 5, 2004. Reply to Office Action of October 10, 2003.

(H₂SO₄), phosphoric acid (H₃PO₄), acetic acid (HC₂H₃O₂), hydrogen fluoride (HF), and carbonic acid (H₂CO₃).

- 35. (withdrawn) A waste management system according to claim 29, wherein at least one of the pollutant monitor and the effluent monitor monitors at least one of i) a heavy metal species used by the industrial process and ii) a heavy metal species discharged from the industrial process.
- 36. (withdrawn) A waste management system according to claim 35, wherein the heavy metal species comprises at least one of lead (Pb), mercury (Hg), chromium (Cr), copper (Cu), and cadmium (Cd).
- 37. (withdrawn) A waste management system according to claim 29, wherein at least one of the pollutant monitor and the effluent monitor monitors at least one of i) an organic species used by the industrial process and ii) an organic species discharged from the industrial process.
- 38. (withdrawn) A waste management system according to claim 37, wherein the organic species comprises at least one of an alkane, an alcohol, an ether, an alkene, an alkyne, an aromatic compound, an alkyl halide, an ester, a carboxylic acid, a carbonyl compound, an aldehyde, and a ketone, an amine, and an amide.
- 39. (withdrawn) A waste management system according to claim 37, wherein the organic species comprises at least one of benzenc (C_6H_6), toluene ($C_6H_5CH_3$), xylene [$C_6H_4(CH_3)_2$], naphthalene ($C_{10}H_8$), dichloromethane (CH_2Cl_2), trichloromethane ($CHCl_3$), styrene, ethylene, phenol, methylene chloride, xylene, and methyl ethyl ketone.
- 40. (withdrawn) A waste management system according to claim 29, further comprising at least one computer system communicating with the communications network, the at least one computer system acquiring the process parameter from the globally distributed computing network.
- 41. (withdrawn) A waste management system according to claim 29, further comprising a computer system communicating with the globally distributed computing

network, the computer system receiving at least one of the pollutant information and the effluent information.

- 42. (withdrawn) A system configured for reducing wastes from an industrial process, the system comprising:
- a Waste Reduction module acquiring at least one of pollutant information and effluent information communicated along a globally distributed computing network, the pollutant information associated with pollutants produced by the industrial process, and the effluent information associated with effluents discharged by the industrial process; and
- a processor capable of manipulating the acquired information and of predicting process parameters that may reduce wastes produced by the industrial process.
- 43. (withdrawn) A computer program product for reducing wastes from an industrial process, the computer program product comprising:
 - a memory storage device; and
- a Waste Reduction module stored on the memory storage device, the Waste Reduction module acquiring at least one of pollutant information and effluent information communicated along a communications network, the pollutant information associated with pollutants produced by the industrial process, and the effluent information associated with effluents discharged by the industrial process, the Waste Reduction module predicting process parameters that may reduce wastes produced by the industrial process.
- 44. (withdrawn) A central processing center for reducing wastes produced by an industrial process, the central processing center comprising:
- a Waste Reduction module acquiring at least one of pollutant information and effluent information communicated along a globally distributed computing network, the pollutant information associated with pollutants produced by the industrial process, and the effluent information associated with effluents discharged by the industrial process, the

Waste Reduction module predicting process parameters that may reduce wastes produced by the industrial process; and

a processor capable of predicting the process parameters that may reduce wastes produced by the industrial process.

45. (withdrawn) A computer program for reducing wastes produced from an industrial process, comprising the steps of:

communicating with a communications network and acquiring process information concerning the industrial process;

predicting a process parameter associated with a predicted waste output according to a predetermined model and based on the process information; and

communicating the process parameter over the communications network.

- 46. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of communicating with a communications network comprises communicating with a globally distributed computing network.
- 47. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of communicating with a communications network comprises communicating with at least one of a local area network, a wide area network, and a globally distributed computing network.
- 48. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of acquiring process information comprises acquiring at least one of i) concentration of a chemical species used by the industrial process, ii) concentration of a pollutant produced by the industrial process, iii) concentration of an effluent discharged from the industrial process, iv) flow rate of the chemical species used by the industrial process, v) flow rate of the pollutant produced by the industrial process, and vi) flow rate of the effluent discharged from the industrial process.

- 49. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of acquiring process information concerning the industrial process comprises acquiring information concerning at least one of an effluent stream of air, an effluent stream of water, and an effluent stream of a solid.
- 50. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) inorganic materials used by the industrial process and ii) inorganic materials discharged from the industrial process.
- 51. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) a species of acid used by the industrial process and ii) a species of acid discharged from the industrial process.
- 52. (withdrawn) A computer program for reducing wastes according to claim 51, further comprising the step of acquiring information concerning a chemical compound that ionizes in water to provide a hydrogen ion H⁺.
- 53. (withdrawn) A computer program for reducing wastes according to claim 51, further comprising the step of acquiring information concerning at least one of hydrochloric acid (HCl), nitric acid (HNO₃), perchloric acid (HClO₄), sulfuric acid (H₂SO₄), phosphoric acid (H₃PO₄), acetic acid (HC₂H₃O₂), hydrogen fluoride (HF), and carbonic acid (H₂CO₃).
- 54. (withdrawn) A computer program for reducing wastes according to claim 45, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) a heavy metal species used by the industrial process and ii) a heavy metal species discharged from the industrial process.
- 55. (withdrawn) A computer program for reducing wastes according to claim 54, further comprising the step of acquiring information concerning at least one of lead (Pb), mercury (Hg), chromium (Cr), copper (Cu), and cadmium (Cd).

Serial No.: 09/682,995 Amdt. Dated January 5, 2004. Reply to Office Action of October 10, 2003.

- 56. (withdrawn) A method of reducing wastes according to claim 45, wherein the step of acquiring process information comprises acquiring information concerning at least one of i) an organic species used by the industrial process and ii) an organic species discharged from the industrial process.
- 57. (withdrawn) A computer program for reducing wastes according to claim 56, further comprising the step of acquiring information concerning at least one of an alkane, an alcohol, an ether, an alkene, an alkyne, an aromatic compound, an alkyl halide, an ester, a carboxylic acid, a carbonyl compound, an aldehyde, and a ketone, an amine, and an amide.
- 58. (withdrawn) A computer program for reducing wastes according to claim 56, further comprising the step of acquiring information concerning at least one of benzene (C₆H₆), toluene (C₆H₅CH₃), xylene [C₆H₄(CH₃)₂], naphthalene (C₁₀H₈), dichloromethane (CH₂Cl₂), trichloromethane (CHCl₃), styrene, ethylene, phenol, methylene chloride, xylene, and methyl ethyl ketone.
- 59. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of acquiring information concerning air pollutant emissions produced by the industrial process.
- 60. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of acquiring information concerning a volatile organic compound produced by the industrial process.
- 61. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of acquiring information concerning an ozone depleting compound produced by the industrial process.
- 62. (withdrawn) A computer program for reducing wastes according to claim45, further comprising the step of forecasting wastes produced by the industrial process, the forecasted wastes based upon the process information.

Serial No.: 09/682,995 Amdt. Dated January 5, 2004. Reply to Office Action of October 10, 2003.

- 63. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of simulating the industrial process with a computer program that determines the process parameters.
- 64. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of forecasting costs of operating the industrial process at the process parameter.
- 65. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of estimating costs of operating the industrial process at the process parameter.
- 66. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of communicating information concerning waste emissions over the communications network to a regulatory agency.
- 67. (withdrawn) A computer program for reducing wastes according to claim 45, further comprising the step of communicating information concerning waste emissions over the communications network to participants in a system for buying and selling emissions allowances.